

**Table 8A.3.3: Incidence Cases by Age Distribution<sup>1</sup> of Primary Cancer Site at Time of Death, United States 2006-2010**

Site	Incidence Cases by Site by Age, 2006-2010								Total Cases, All Ages 2006 thru 2010	Average Deaths Per Year	% Total Cases, All Ages
	< 20	20-34	35-44	45-54	55-64	65-74	75-84	85+			
Digestive System [2]	692	3,462	15,233	66,470	136,401	164,097	191,100	115,629	692,392	138,478	24.5%
Male Genital System	-	729	583	2,771	12,399	28,881	53,970	46,531	145,865	29,173	5.2%
Breast (incl breast in situ)	-	1,833	10,795	29,737	43,995	41,143	43,791	32,385	203,679	40,736	7.2%
Respiratory System [3]	-	815	8,969	64,411	160,619	247,858	243,782	88,055	815,324	163,065	28.8%
Urinary System [4]	277	415	1,660	9,267	21,854	31,536	43,293	30,015	138,317	27,663	4.9%
Female Genital System	-	1,680	5,739	16,378	29,397	33,317	33,737	19,598	139,987	27,997	4.9%
Skin (excl basal & squamous)	58	1,161	2,555	6,794	11,208	12,137	14,401	9,756	58,070	11,614	2.1%
Lymphoma (Non-Hodgkin)	409	1,430	2,350	6,743	14,611	22,580	33,512	20,639	102,172	20,434	3.6%
Endocrine System	852	318	522	1,234	2,214	2,799	3,066	1,717	12,722	2,544	0.4%
Leukemia	3,017	3,464	3,352	7,039	14,637	24,135	34,415	21,789	111,736	22,347	3.9%
Oral Cavity & Pharynx [5]	40	281	1,206	5,588	10,091	9,608	8,523	4,824	40,202	8,040	1.4%
Ill defined & Unspecified	422	1,476	4,218	17,085	36,700	49,355	61,800	39,653	210,920	42,184	7.5%
Brain & Nervous System	2,591	2,455	4,159	9,818	15,614	15,478	13,160	4,909	68,184	13,637	2.4%
<b>Myeloma (bone marrow)</b>	-	<b>54</b>	<b>593</b>	<b>3,288</b>	<b>8,786</b>	<b>14,122</b>	<b>17,949</b>	<b>9,056</b>	<b>53,902</b>	10,780	<b>1.9%</b>
<b>Soft Tissue (incl heart)</b>	<b>745</b>	<b>1,262</b>	<b>1,365</b>	<b>2,793</b>	<b>3,952</b>	<b>3,952</b>	<b>4,303</b>	<b>2,317</b>	<b>20,689</b>	4,138	<b>0.7%</b>
Lymphoma (Hodgkin)	88	800	669	700	931	1,050	1,356	656	6,250	1,250	0.2%
Mesothelioma	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Bones &amp; Joints</b>	<b>873</b>	<b>1,044</b>	<b>423</b>	<b>723</b>	<b>846</b>	<b>962</b>	<b>1,132</b>	<b>819</b>	<b>6,821</b>	1,364	<b>0.2%</b>
Eye & Orbit	23	19	68	143	247	287	318	186	1,291	258	0.0%
Kaposi's Sarcoma	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
All Sites	11,322	22,644	65,103	251,920	523,653	704,809	803,879	447,228	2,830,559	566,112	

[1] Age-adjusted to the 2000 U.S. Standard Population (19 age groups - Census P25-1130).

[2] Includes cancers of esophagus, stomach, small intestine, colon & rectum, anus, liver & bile ducts, gallbladder, pancreas, retroperitoneum, peritoneum, and other digestive systems.

[3] Includes cancers of nose, middle ear, larynx, lung & bronchus, pleura, trachea, and other respiratory organs.

[4] Includes cancers of bladder, kidney, renal pelvis, ureter, and other urinary systems.

[5] Includes cancers of lip, tongue, salivary gland, mouth, gums, nasopharynx, tonsil, oropharynx, hypopharynx, and other oral cavity.

Source: Howlader N, Noone AM, Krapcho M, Garshell J, Neyman N, Altekruse SF, Kosary CL, Yu M, Ruhl J, Tatalovich Z, Cho H, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2010, National Cancer Institute. Bethesda, MD, [http://seer.cancer.gov/csr/1975\\_2010/](http://seer.cancer.gov/csr/1975_2010/), based on November 2012 SEER data submission, posted to the SEER web site, April 2013. *Table 1.13: Age Distribution (%) of Incidence Cases by Site, 2006-2010, All Races, Both Sexes, Age at Death.* Accessed January 6, 2014.