

Table 5A.1.4: Number and Cause of Self-Reported Medically-Consulted Injuries in the Past Three Months, by Region, United States 2013-2015

	Proportion of Injury/Poisoning Episodes Reported (1)				Total	Number of Injuries Previous 3-Months (in 000s)	Extrapolated Annual Number of Injuries (in 000s)
	Region						
	Northeast	Midwest	South	West			
Number of Medically-consulted Injuries							
One	94.2%	92.8%	93.2%	92.9%	93.2%	8,428.6	33,714.4
Two or More	5.8%	7.2%	6.8%	7.1%	6.8%	616.1	2,464.4
Cause of Injury							
Fall	36.2%	37.2%	37.7%	33.5%	36.3%	3,182.7	12,730.8
Vehicle or Sport-related	9.4%	8.3%	12.4%	12.2%	10.9%	951.8	3,807.2
Other Cause	54.5%	54.5%	49.9%	54.3%	52.8%	4,626.3	18,505.2
All Musculoskeletal Injuries	80.2%	80.4%	80.4%	80.2%	80.4%	7,091.3	28,365.2
Nonmusculoskeletal Injuries	19.8%	19.6%	19.6%	19.8%	19.6%	1,734.0	6,936.0
Total Injury/Poisoning Episodes (in 000s)	1,506.1	2,134.1	3,109.5	2,075.6	8,825.4	8,825.4	35,301.6
By Demographic Group							
% of Injuries	17.1%	24.2%	35.2%	23.5%	100.0%		
Annual Rate per 100 Population Total Injury Episodes	10.8	12.6	10.5	11.2	11.2		
Annual Rate per 100 Population Musculoskeletal Injury Episodes	8.6	10.2	8.4	9.0	9.0		

[1] All medically-consulted injury/poisoning episodes reported occurring in the previous three months.

Source: National Health Interview Survey (NHIS) Injuries & Poisoning Database, 2013, 2014, 2015. www.cdc.gov/nchs/nhis/